No.



9900127

# THE UNIVERS OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

Micrity, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW. THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE GHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR PRING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT OF THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

ALFALFA

'53V63'

In Testimonn Marrest, I have hereunto set my hand and caused the seal of the Hunt Dariety Arotection Office to be affixed at the City of Washington, D.C. this twenty-fourth day of April, in the year of our Lord two thousand one.

alunk Port

Acting Commissioner Plant Variety Protoction Office Agricultural Marketing Service of Agriculture

Research Coordinator

## **EXHIBIT A**

# ORIGIN AND BREEDING HISTORY OF THE VARIETY

# '53V63'

53V63 is a ninety-nine clone synthetic variety. Parents were selected phenotypically for resistance to one or more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (races 1 and 2), spring blackstem, and potato leafhopper. In addition, parents were selected for forage yield, fall dormancy, and field appearance. Syn. 1 seed (breeder seed) was produced on all parent plants and bulked. Parent plants trace through several experimental lines primarily to 5347LH, with smaller contributions from 5246, 5252, 5333, 5373 and trace contributions from several other varieties and germplasm.

This variety was observed over three generations and found to be uniform and stable.

No variants were observed during seed (breeder, foundation and commercial) multiplication procedures.

It is confirmed that 53V63 meets presently acceptable levels for uniformity for alfalfa varieties.

### **EXHIBIT B**

## **NOVELTY STATEMENT**

# '53V63'

53V63 most closely resembles the variety 5347LH. 53V63 differs from 5347LH primarily in its resistance to the potato leafhopper. 53V63 is resistant (47.9%), and 5347LH is moderately resistant (26.3%)\*.

Other traits of difference include resistance to: Verticillium wilt (53V63 = 53.3%, 5347LH = 35.0%), Aphanomyces root rot (53V63 = 54.9%, 5347LH = 33.0%), Pea aphid (53V63 = 34.2, 5347LH = 60.7%).

These two varieties also differ in flower color as 53V63 has 63% purple, 33% variegated, and 4% yellow; while 5347LH has 35% purple and 64% variegated.

\*- 5347LH amended to MR to NAAVRB January, 1999

EXHIBIT C (ALFALFA)

# U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK AND SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 2070S

#### OBJECTIVE DESCRIPTION OF VARIETY

ALFALFA (Medicago sativa sensu Gunn et al.) NAME OF APPLICANT(S) TEMPORARY DESIGNATION VARIETY NAME Pioneer Hi-Bred International, Inc. Y53H63, LH2 53V63 ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) FOR OFFICIAL USE ONLY 7305 N.W. 62nd Ave., P.O. Box 287 PVPO NUMBER Johnston, IA 50131 PLEASE READ ALL INSTRUCTIONS CAREFULLY: Place numbers in the boxes to designate the expressions which are characteristic of the commercial generations of the application variety. Data for quantitative plant characters should be based on a minimum of 100 plants. Include leading zeros when necessary (e.g. 0 8 9 for quantitative data. Comparative data should be determined from varieties entered in the same trial.Plant color may be precisely designated by using any recognized color chart.e.g., The Munsell Plant Tissue Color Charts. 1. WINTERHARDINESS: 8 CLASS: 1 = Very Non-Winterhardy (CUF 101) 2 = Non-Winterhardy (Moapa 69) 3 = Intermediately Non-Winterhardy (Mesilla) 4 = Semi-Winterhardy (Lahontan) 5 = (Du Puits) 6 = Moderately Winterhardy (Saranac) 7 = (Ranger) 8 = Winterhardy (Vernal) 9 = Extremely Winterhardy (Norseman) Eau Claire, WI TEST LOCATION: \_ 2. FALL DORMANCY: FALL DORMANCY (DETERMINED FROM SPACED PLANTINGS) REGROWTH SCORE OR AVERAGE HEIGHT **TESTING INSTITUTION** DATE REGROWTH DATE OF **CHECK VARIETIES** L\$D .05 AND LOCATION SCORED APPLICATION VARIETY Ranger Vernal Legend Pioneer Hi-Bred Int'l, Inc. Arlington, WI 09/02/97 10/01/97 22.5 23.1 25.4 19.1 2.6 \* CUF 101, Moapa 69, Mesilla, Lahontan, Du Puits, Saranac, Ranger, Vernal, or Norseman as appropriate. Specify scoring system used: Natural plant height in cm. Fall Growth Habit (Determined from Fall Dormancy Trials) 1 = Erect (CUF 101) 3 = Semierect (Mesilla) 5 = Intermediate (Saranac) 7 = Semidecumbent (Vernal) 9 = Decumbent (Norseman) 3. RECOVERY AFTER FIRST SPRING CUT (In Southwest, first cut after March 21): 6 1 = Very Fast (CUF 101) 3 = Fast (Saranac) 5 = Intermediate (Ranger) 7 = Slow (Vernal) 9 = Very Slow (Norseman TEST LOCATION: Arlington, WI 4. AREAS OF ADAPTATION IN U.S. (Where tested and proven adapted): Primary Area of Adaptation Other Areas of Adaptation 1 = North Central 2 = East Central 3 = Southeast 4 = Southwest 5 = Moderately Winterhardy Intermountain 6 = Winterhardy Intermountain 7 = Great Plains 8 = Other (Specify) 5. FLOWERING DATE (When 10% of plants possess open flowers at time of first spring cut): Days Earlier Than . 1 = CUF 101 Same As 2 = Mesilla 3 = Saranac 4 = Vernal 5 = Norseman Days Later Than **TEST LOCATION:** 

6. PLANT COLOR (Determined for	rom healthy regrowth 3 we	eks after first spr	ing cut, controlling le	afhoppers if necessa	гу):		9900127
1 = Very Dark Gree	en (524) ALUE <i>(Specify chart used)</i>	COULLI					
			Taga Taga da sa	15.50 X			
	RIETY:						
				· · · · · · · · · · · · · · · · · · ·			
7. CROWN TYPE (Determined from	• • •						
Noncreeping Ty		-	2 = Intermediate (Sa	•	3 = Narrow (	CUF 101)	
Creeping Types	<u> </u>	Rooted (Rangela		5 = Rhizomatous	•		
8. FLOWER COLOR (Determine from 1971)  0 6 3 % Purple and Vi	equency of plants for each olet (Subclasses 1.1 to 1.4		efined by USDA Agric		. 424 (Barnes 1 classes 2.3 and		ants in plot to flower):
0 3 3 % Variegated Of	ther Than Blue (Subclasses	s 2.1, 2.2, 2.5 to 2	0 0 e.	4 % Yellow (Sul	bciasses 4.1 to	o 4.4)	
t % Cream (Class	<b>a</b> )		- T	t % White (Clas			
, or	տ։ <u>Connell, WA</u>			L   % White (Clas	ss 5)		
							W8
9. POD SHAPE (Determine frequen							
% Tightly Coiled	l (One or more coils, center	r more or less clo	esed)	% Loosely Co	iled (One or m	ore coils, center co	nspicuously open)
% Sickle (Less ti	han 1 coil)			TEST LOCATI	ON:		•
							c generation tested, average severity whether test is a field or laboratory
evaluation	. Describe scoring system	n, and any test pr	ocedure which differ	s from standard meth			al data from other test years or
Seeds of t	should be presented when he check varieties and gen	mplasm lines list	ed below can be obta	ined from the USDA I	Field Crops La	boratory, Bldg. 001,	Rm. 335, BARC-West, Beltsville, MD
20705. Alt presented		check varieties lis	sted below are prefer	red, comparisons with	any appropri	ate check variety re	commended by Elgin (1982) may be
A. DISEASE RESISTANCE:		SYN. GEN.	PERCENT	NUMBER OF		ASI	INSTITUTION, YEAR, LOCATION,
DISEASE	VARIETY	TESTED	RESISTANT PLANTS	PLANTS TESTED	ASI	LSD .05	FIELD OR LABORATORY
Anthracnose, Race 1 (Colletotrichum trifolii)	Application HR	1	57.2	~125		% Resistant	Pioneer Hi-Bred Int'l, Inc.
,						10.1	1998 Arlington, WI
	Arc (R)		65.0	~125			Laboratory
						7	
	Saranac (S)		0.0	~125			
	SCORING SYSTEM:	Standard	test				•
Anthropping Page 3	-					1	
Anthracnose, Race 2 (Colletotrichum trifolii)	Application						
•				<del></del>		†	
	Saranac AR (R)						
	A (6)					1	
	Arc (S)						
	SCORING SYSTEM:						
Bacterial Wilt	<u>                                     </u>					loon or o	Town Of the state
(Corynebacterium insidiosum)	Application HR	2	71.0	~200		% Resistant Plants	Crop Characteristics 1998
	<u> </u>					11.6	Farmington, MN
	Vernal (R)		42.0 ~200			ı	Field
	Narragansett (S)		4.0	~200		1	
•		<u> </u>		200			
	SCORING SYSTEM:	Standard	test				
Common Leafspot	Application						
(Pseudopeziza medicaginis)	Application					]	
	MSA-CW3An3 (R)						
	<b>*</b> -*					1	
	Ranger (S)						
	SCORING SYSTEM:			<u>I</u>		I	
FORM LS-470-32 (4-85)							PAGE 2 OF

PAGE 2 OF 5

10. A. PEST RESISTANCE (Contin	ued):						
DISEASE	VARIETY	SYN. GEN, TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY
Downy Mildew (Peronospora trifoliorum)	Application		· · · · · · · · · · · · · · · · ·				
Isolate, if known:	Saranac (R)					7	
	- Kanza (S)						
<u></u>	SCORING SYSTEM:						
Fusarium Wilt (Fusarium oxysporum f. medicaginis)	Application HR	1	57.6	~150		% Resistant Plants 19.7	Pioneer Hi-Bred Int'l, Inc. 1997
	Agate (R)		54.0	~150		19.7	Arlington, WI Field
	MNGN-1 (S)		7.7	~150		<b>!</b>	
	SCORING SYSTEM:	Standar	d test	1		•	
Phytophthora Root Rot (Phytophthora megasperma f. medicaginis)	Application HR	2	79.0	~160		% Resistant Plants 18.5	Pioneer Hi-Bred Int'l, Inc. 1998 Arlington, WI
	Agate (R)		33.0	~160		10.5	Laboratory
· .	Saranac (S)		0.0	~160		ļ	
	SCORING SYSTEM:	Standar	d test				
Verticillium Wilt (Verticillium alboatrum)	Application HR	1	53.8	~125		Plants 1997 15.3 Arlingto	
	Vertus (R]		60.0	~125			Laboratory
	Saranac (S)		1.8	~125			
	SCORING SYSTEM:	Standard	d test				
Other <i>(Specify)</i> Aphanomyces root rot(R1)	Application HR	1	54.9	~175		Plants 1997	
(Aphanomyces eureiches)	WAPH-1(		50.0	~175		13.6	Arlington, WI Laboratory
	Saranac		0.0	~175			
	SCORING SYSTEM:	Standard	test				
Other (Specify)	Application						
	(R)						
	(S)					,	
	SCORING SYSTEM:			<u> </u>			•
INSECT RESISTANCE: INSECT	VARIETY	SYN, GEN, TESTED	PERCENT DEFOLIATION	DEFOLIATION IN PERCENT OF RESISTANT CHECK	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY
Alfalfa Weevil (Hypera postica)	Application						
	Arc (R)			100			
	Saranac (S)						
	SCORING SYSTEM:			• • • • • • • • • • • • • • • • • • • •		•	•

0. B. INSECT RESISTANCE (Con	1	1						
INSECT	VARIETY	SYN. GEN. TESTED	PERCENT SEEDLING SURVIVAL	NUMBER OF SEEDLINGS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATIO FIELD OR LABORATORY	
Blue Alfalfa Aphid (Acyrthosiphon kondoi)	Application	-						
	CUF101 (HR)							
	Caliverde (S)					7		
	SCORING SYSTEM:							
Pea Aphid (Acyrthosiphon pisum)	Application R	1	34.2	~300		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1997	
	Baker (R)		45.0	~300		4.0 Johnston, IA Laboratory		
	Ranger (S)		9.1	~300				
	SCORING SYSTEM:	Standard	d test					
Spotted Alfalfa Aphid (Therioaphis maculata)	Application MR	2	26.2	~300		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1998 Johnston, IA Laboratory	
Biotype, if known:	CUF101 (HR)		60.0	~300		14.6		
	Arc (S)		0.0	~300				
	SCORING SYSTEM:	Standar	d test					
INSECT	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY	
Potato Leafhopper Yellowing (Empoasca fabae)	Application R	1	47.9	~160		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1998	
	PLH25 (MR)		25.0	~160		12.0	Arlington, WI Field	
	Ranger (S)		0.0	~160				
	SCORING SYSTEM:	Standard	d test				•	
Other (Specify)	Application							
***************************************	(S)							
	(S)							
	SCORING SYSTEM:		****	<u> </u>				
NEMATODE RESISTANCE:	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION FIELD OR LABORATORY	
Northern Root Knot (Meloidogyne hapla)	Application	- <del> </del>						
	SYN YY (HR]							
	Lahontan (S)		*****					
	SCORING SYSTEM:							

0. C. NEMATODE RESISTANC	VARIETY	SYN. GEN. TESTED	PERCENT RESISTANT PLANTS	NUMBER OF PLANTS TESTED	ASI	ASI LSD .05	INSTITUTION, YEAR, LOCATION, FIELD OR LABORATORY
Southern Root Knot (Meloidogyne incognita)	Application					:	
	Моара 69 (R)						
	Lahontan (S)		, man				
	SCORING SYSTEM:						
Stem Nematode (Ditylenchus dipsaci)	Application R	2	35.4	~250		% Resistant Plants	Pioneer Hi-Bred Int'l, Inc. 1998
	Vernema (R)		60.0	~250		12.9 Connell, WA Laboratory	
	Ranger (S)		4.0	~250			
	SCORING SYSTEM:	Standard	I test	**			
Other (Specify)	Application						
	(R)						
	(S)						
	SCORING SYSTEM:					-	

1. INDICATE THE VARIETY THAT MOST CLOSE	LY RESEMBLES THE APPLICATION VARIE	TY FOR EACH OF THE FOLLOWING CHARACTERS:	
CHARACTER	VARIETY	CHARACTER	VARIETY
Winterhardiness	Vernal	Plant Color	-
Recovery After 1st Cut	5347LH	Crown Type	-
Area of Adaptation	5262	Combined Disease Resistance	5312
Flowering Date	<u>-</u>	Combined insect Resistance	5347LH

#### REFERENCES

Barnes, D.K. 1972. A System for Visually Classifying Alfalfa Flower Color. U.S. Dep. Agric. Handb. 424. 18 pp. (Note: Greenish cast of plate 6, A and B is an artifact of printing, actual colors a blend of yellow and white.)

Elgin, J.H., Jr., (ed.). 1982. Standard Tests to Characterize Pest Resistance in Alfalfa Cultivars. U.S. Dep. Agric. Tech. Bull. (In Press).

Gunn, C.R., W.H. Skrdla, and H.C. Spencer. 1978. Classification of Medicago sativa L. using legume characters and flower colors. U.S. Dep. Agric, Tech. Bull. 1574. 84 pp.

Munsell Color Co. 1977, Munsell Plant Tissue Color Charts. Munsell Color Co., Inc. Baltimore.

NOTE: Any additional descriptive information and supporting documentation may be provided as Exhibit D.

### **EXHIBIT D**

# '53V63'

- 1) 53V63 is a ninety-nine clone synthetic variety. Parents were selected phenotypically for resistance to one of more of the following pests: bacterial wilt, Fusarium Wilt, Verticillium wilt, Phytophthora root rot, Aphanomyces root rot (races 1 and 2), Spring Blackstem, and potato leafhopper. In addition, parents were selected for forage yield, fall dormancy, and field appearance. Syn. 1 seed (breeder seed) was produced on all parent plants and bulked. Parent plants trace through several experimental lines primarily to 5347LH, with smaller contributions from 5246, 5252, 5333, 5373 and trace contributions from several other varieties and germplasm. Germplasm sources are M. falcata (6.4%), Ladak (6.6%), M. varia (26.6%), Turkistan (2.2%), Flemish (37.8%), Chilean (4.8%), Peruvian (.1%), KS108GH5 (2.5%), KS94GH6 (2.5%), 81IND-2 (2.5%) and unknown (8.0%).
- 2) 53V63 is adapted to and intended for use in the north central, east central, and Great Plains regions of the United States. It has been tested in Iowa, Illinois, Minnesota, Wisconsin, and Ontario, Canada.
- 3) 53V63 is a very winterhardy, dormant cultivar with a fall dormancy similar to Ranger. Flower color in the syn. 2 generation is approximately 63% purple, 33% variegated and 4% yellow with traces of cream and white.
- 4) 53V63 has high resistance to anthracnose (race 1), bacterial wilt, Fusarium wilt, Phytophthora root rot, Verticillium wilt, Aphanomyces root rot (race 1); resistance to pea aphid, potato leafhopper, stem nematode; and moderate resistance to spotted alfalfa aphid. 53V63 has not been tested for resistance to root knot nematode and blue alfalfa aphid.
- 5) Breeder seed (syn. 1) was produced on vegetative cuttings of the 99 parent clones in the greenhouse in 1996 and in cage isolation in 1997. Seed from all parents was bulked. Seed classes will be breeder (syn. 1), foundation (syn. 2 or syn. 3), and certified (syn. 2, 3, or 4). Foundation seed may be produced from breeder or foundation seed. The second generation of foundation may be produced at the discretion of Pioneer Hi-Bred International, Inc. Limitations of age of stand will be three and five years respectively for foundation and certified seed. Pioneer Hi-Bred International, Inc. will maintain sufficient breeder seed and foundation seed for the projected life of the variety.

REPRODUCE LOCALLY. Include form number and date on all reproductions.	FORM APPROVED - OMB NO. 0581-0055 EXPIRES: 12-31-96					
U.S. DEPARTMENT OF AGRICULTURE  AGRICULTURAL MARKETING SERVICE  SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICE	The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.  Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).					
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP						
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME				
Pioneer Hi-Bred International, Inc.	Y53H63, LH2	53V63				
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)	5. TELEPHONE (include area code)	6. FAX (include area code)				
7305 N.W. 62nd Ave.	(515) 270-3347	(515) 270-3750				
P.O. Box 287	7. PVPO NUMBER	0000				
Johnston, IA 50131		9900127				
8. Does the applicant own all rights to the variety? Mark an "X" in appropriate block. If no,	l please explain.					
		X YES NO				
		900				
Is the applicant (individual or company) a U.S. national or U.S. based company?  If no, give name of country		X YES NO				
10. Is the applicant the original breeder? If no, please answer the following:		X yes No				
If original rights to variety were owned by individual(s):  Is (are) the original breeder(s) a U.S. national(s)? If no, give name of country						
b. If original rights to variety were owned by a company:  Is the original breeder(s) U.S. based company? If no, give name of country		YES NO				
11. Additional explanation on ownership (if needed, use reverse for extra space):						
PLEASE NOTE:						
PLEASE NOTE.						
Plant variety protection can be afforded only to owners (not licensees) who meet one of the	he following criteria:					
<ol> <li>If the rights to the variety are owned by the original breeder, that person must be a U.S of a country which affords similar protection to nationals of the U.S. for the same genu</li> </ol>	•	er country, or national				
<ol><li>If the rights to the variety are owned by the company which employed the original bree nationals of a UPOV member country, or owned by nationals of a country which afford genus and species.</li></ol>	ders(s), the company must be U.S. bassimilar protection to nationals of the	ased, owned by e U.S. for the same				
3. If the applicant is an owner who is not the original breeder, both the original breeder ar	nd the applicant must meet one of the	above criteria.				
The original breeder may be the individual or company who directed final breeding. See S definition.	Section 41(a)(2) of the Plant Variety Pr	rotection Act for				
Public reporting burden for this collection of information is estimated to average 10 minutes per response, including the timaintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this i suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Jamie L. Whitte 0581-0055 and form number in your letter.	burden estimate or any other aspect of this collecti	on of information, including				
Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB co	ontrol number.					
The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national ori (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communicatio USDA Office of Communications at (202) 720-2791.	igin, sex, religion, age, disability, political beliefs, a ın of program information (braille, large print, audic	nd marital or familial status. Nape, etc.) should contact the				
To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202, employment opportunity employer.	) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is	s an equal				
STD-470-E (03-96)						